

The Shade Pro Sunshade has an aluminum structure and an acrylic fabric cloth. The opening and closing of the Sunshade is facilitated by the aid of a gas spring which, by acting on an appropriate system of levers, reduces the force required for opening and closing operations. The dimensioning and the levers made allow the Sunshade to close easily without the need to move tables, as well as the possibility of rotating it on the horizontal plane. Shade Pro is also equipped with a lighting system consisting of 4 LED bars, a remote control and an electrical panel. The battery powered remote control has the following buttons: on, off, three preset light intensities, choice between warm light and cold light (Kelvin degrees).



Description

Code: 996+929/B8N+999
Typology: Side pole
Collection: Shade Pro

Cover: Yes

Cover Type: FC/981

Technical Info



Width: 403 cm Depth: 325 cm Height: 282 cm Weight: 99.1 Kg Static Load: Packaging

Packages: Pieces for pack: Dimensions: Volume:



Colors



Aluminium - White Pro



Antique Iron - Beige

20 84

Aluminium - Beige

23 81

Matt White - Stainless Steel

22 81

Antique Iron - White Pro

Phone: +39 075 874021 / +39 075 8743903

E-mail: info@emu.it

23 84

Matt White - Beige



Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Synthetic Fabrics

Acrylic fabric: a fibre whose base element is a polymer chain consisting of 85% acrylonitrile. Acrylic fibre combines the aesthetic qualities of a luxurious fabric with the texture and feel of wool with the functional qualities of resistance to the elements: UV resistant, it does not stain and does not rot upon contact with water as it is fast-drying.

Polyester fabric: a fibre composed of linear macromolecules consisting mainly of polyethylene terephthalate. It has excellent mechanical properties: it withstands breakage, light and abrasion. It does not deform permanently, it has an excellent elastic recovery and is waterproof.

Polypropylene fabric: these are fibers that are generally very fine, with a high surface tension, thanks to which water can pass through and flow out quickly. Strength and durability are among the main advantages offered by this material, which also provides good thermal insulation.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Avoid prolonged contact with greasy substances and/or dyes or colorants that could be absorbed by the covering material and cause permanent stains, as well as deteriorating the yarn structure. In the case of use near the sea or swimming pools, periodic washing is recommended. Frequent washing: follow the specific instructions given on the label for each material. Use water and non-abrasive, colorless, neutral PH liquid detergents. If necessary, allow the detergent to act for a few minutes. Rinse thoroughly with water at a temperature not higher than 30°C (86°F). If pressure cleaning devices are used, keep the tip of the nozzle at a distance of at least 60-70 cm from the surface of the product. If necessary, repeat the operation. Do not use abrasive sponges to remove stains and do not treat with bleach or chlorine.



Phone: +39 075 874021 / +39 075 8743903

E-mail: info@emu.it